

目 次

原著論文要旨

Chemistry Inorganic and Physical

Study of chiral recognition of bilayered phosphatidylcholine vesicles using a helicene probe.

Characteristic function of cholesterol 1

Hiroko Nakagawa (中川弘子), Maiko Yoshida (吉田麻衣子),
Yuuki Kobori (小堀裕紀), and Koh-ichi Yamada (山田紘一)

STM observation of molecular chirality and alignment on solid surface 2

Masahiro Taniguchi, Hiroko Nakagawa (中川弘子),
Akihiro Yamagishi, and Koh-ichi Yamada (山田紘一)

Helical assembly formed by chiral [11]thiaheterohelicene in crystals. Architecture
with triple helix 3

Hiroko Nakagawa (中川弘子), Jun Yoshino (吉野順), Koh-ichi Yamada (山田紘一),
Motoo Shiro,

Organic

O-Allylic Substitution of Hydroxylamine Derivatives Having an N-Electron-Withdrawing
Substituent 4

Hideto Miyabe, Kazumasa Yoshida, Akira Matsumura,
Masashige Yamauchi (山内昌茂), Yoshiji Takemoto

Synthesis of Spiro-Fused Nitrogen Heterocyclic Compounds *via* *N*-Methoxy-*N*-acylnitrenium
Ions Using Phenyliodine(III) Bis(trifluoroacetate) in Trifluoroethanol 5

Etsuko Miyazawa (宮沢悦子), Takeshi Sakamoto (坂本武史),
and Yasuo Kikugawa (菊川靖雄)

| | |
|---|----|
| Synthesis of Spirodienones by Intramolecular <i>Ips</i>-Cyclization of Using <i>N</i>-Methoxy-(4-halogenophenyl)amides [Hydroxy(tosyloxy)iodo]benzene in Trifluoroethanol | 6 |
| | |
| Etsuko Miyazawa (宮沢悦子) , Takeshi Sakamoto (坂本武史) , and Yasuo Kikugawa (菊川靖雄) | |
| Intramolecular Cyclization with Nitrenium Ions Generated by Treatment of <i>N</i>-Acyaminophthalimides with Hypervalent Iodine Compounds: Formation of Lactams and Spiro-Fused Lactams | 7 |
| | |
| Yasuo Kikugawa (菊川靖雄) , Akira Nagashima (長島 章) , Takeshi Sakamoto (坂本武史) , Etsuko Miyazawa (宮沢悦子) , and Megumi Shiiya (椎谷 恵) | |
| A Convenient Synthesis of 1-Alkylhydrazines And 1-Alkyl-1-phenylhydrazines from <i>N</i>-Aminophthalimide | 8 |
| | |
| Shigeru Nara (奈良 繁) , Takeshi Sakamoto (坂本武史) , Etsuko Miyazawa (宮沢悦子) , and Yasuo Kikugawa (菊川靖雄) | |
| Structural requirements of hydroxylated coumarins for <i>in vitro</i> anti-<i>Helicobacter pylori</i> activity. | 9 |
| | |
| Kawase M (河瀬雅美) , Tanaka T (田中 享) , Sohara Y (蘇原由貴) , Tani S (谷 覺) , Sakagami H, Hauer H, Chatterjee SS | |
| Enhancement of plasmid curing by 9-aminoacridine and two phenothiazines in the presence of proton pump inhibitor 1-(2-benzoxazolyl)-3,3,3-trifluoro-2-propanone | 10 |
| | |
| Spengler G, Miczak A, Hajdu E, Kawase M (河瀬雅美) , Amaral L, Molnar J | |
| Antimicrobial activity of <i>N</i>-acylphenothiazines and their influence on lipid model membranes and erythrocyte membranes | 11 |
| | |
| Motohashi N, Kawase M (河瀬雅美) , Molnar J, Ferenczy L, Wesolowska O, Hendrich AB, Bobrowska-Hagerstrand M, Hagerstrand H, Michalak K | |
| Effect of antisense oligodeoxynucleotide for sepiapterin reductase on the viability of PC12 cells in the presence of exogenous carbonyl compounds | 12 |
| | |
| Fujimoto K, Sakurai M, Kawase M (河瀬雅美) , Katoh S | |

| | |
|---|----|
| Comparative analysis of apoptosis-inducing activity of codeine and codeinone. | 13 |
| Hitosugi N, Hatsukari I, Ohno R, Hashimoto K, Mihara S, Mizukami S, Nakamura S, Sakagami H, Nagasaka H, Matsumoto I, Kawase M (河瀬雅美) | |
| Analysis of apoptosis signaling pathway in human cancer cells by codeinone, a synthetic derivative of codeine. | 14 |
| Hitosugi N, Nagasaka H, Sakagami H, Matsumoto I, Kawase M (河瀬雅美) | |
| Structure-cytotoxic activity relationships of simple hydroxylated coumarins. | 15 |
| Kawase M (河瀬雅美) , Sakagami H, Hashimoto K, Tani S (谷 覺) , Hauer H, Chatterjee SS | |
| Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by Barbados cherry, a fruit of <i>Malpighia emarginata</i> DC. | 16 |
| Wakabayashi H, Fukushima H, Yamada T, Kawase M (河瀬雅美) , Shirataki Y (白瀧義明) , Satoh K, Tobe T, Hashimoto K, Kurihara T, Motohashi N, Sakagami H | |
| Biological activity of persimmon (<i>Diospyros kaki</i>) peel extracts. | 17 |
| Kawase M (河瀬雅美) , Motohashi N, Satoh K, Sakagami H, Nakashima H, Tani S (谷 覺) , Shirataki Y (白瀧義明) , Kurihara T, Spengler G, Wolfard K, Molnar J | |
| Multidrug resistance reversal in mouse lymphoma cells by Indian tea leaves, Indian coffee seeds and chicory. | 18 |
| Rao BK, Motohashi N, Kawase M (河瀬雅美) , Spengler G, Molnar J | |
| Spongistatin Synthetic Studies. An Efficient, Second-Generation Construction of an Advanced ABCD Intermediate | 19 |
| Amos B. Smith, III, Victoria A. Doughty, Chris Sfougatakis, Clay S. Bennett, Jyunichi Koyanagi (小柳 順一) , Makoto Takeuchi | |
| Six Flavonostilbenes from <i>Gnetum africanum</i> and <i>Gnetum gnemon</i> | 20 |
| Ibrahim Iliya, Toshiyuki Tanaka, Zulfiqar Ali, Muenekazu Inuma, Miyuki Furusawa, Ken-ichi Nakaya, Yoshiaki Shirataki (白瀧義明) , Jin Murata, Dedy Darnaedi, Mobuyasu Matuura, and Makoto Ubukata | |

| | |
|--|----|
| Three New Trimeric Stilbenes from <i>Gnetum gnemon</i> | 21 |
| Ibrahim Iliya, Zulfiqar Ali, Toshiyuki Tanaka, Munekazu Inuma, Miyuki Furasawa, Ken-ichi Nakaya, Yoshiaki Shirataki (白瀧義明), Jin Murata, Dedy Darnaedi, Nobuyasu Matsuura, and Makoto Ubukata | |
| Cytotoxic and Multidrug Resistance Reversal Activity of a Vegetable, ‘Anastasia Red’, a Variety of Sweet Pepper | 22 |
| Noboru Motohashi, Hidetsugu Wakabayashi, Teruo Kurihara, Yuko Takada, Shichiro Maruyama, Hiroshi Sakagami, Hideki Nakashima, Satoru Tani (谷 覺), Yoshiaki Shirataki (白瀧義明), Masami Kawase (河瀬雅美), Kristina Wolfard and Joseph Molnar | |
| New resveratrol oligomers in the stem bark of <i>Vatica pauciflora</i> | 23 |
| Tetsuro Ito, Toshiyuki Tanaka, Munekazu Inuma, Ibrahim Iliya, Ken-ichi Nakay, Zulfiqar Ali1, Yoshiakazu Takahashi, Ryuichi Sawa, Yoshiaki Shirataki (白瀧義明), Jin Murata and Dedy Darnaedi | |
| Flavonoids as Inhibitors of MRP1-like Efflux Activity in Human Erythrocytes. A Structure-Activity Relationship Study | 24 |
| Malgorzata Bobrowska-Hagerstrand, Anna Wrobel, Lucyna Mrowczynska, Thomas Soderstrom, Yoshiaki Shirataki (白瀧義明), Noboru Motohashi, Joseph Molnar, Krystyna Michalak and Henry Hagerstrand | |
| Functional baioactivity of <i>Polygonatum</i> species | 25 |
| Noboru Motohashi, Guo-Wen Zang, and Yoshiaki Shirataki (白瀧義明) | |

Analytical

| | |
|--|----|
| Fate of Orally Administered ¹⁵N-Labeled Polyamines in Rats Bearing Solid Tumors | 26 |
| Masaki Kobayashi (小林正樹), Yong Ji Xu (許 泳吉), Keijiro Samejima (鮫島啓二郎), Hitomi Goda (合田ひとみ), Masaru Niitsu (新津 勝), Masakazu Takahashi, and Yoshiyuki Hashimoto | |

Synthetic Decarboxylated S-Adenosyl-L-methionine as a Substrate for Aminopropyl Transferases.....27

Hideki Dejima (出島秀樹), Masaki Kobayashi(小林正樹), Hideki Takasaki (高崎秀樹), Noboru Takeda (竹田 昇), Akira Shirahata (白幡 晶), and Keijiro Samejima (鮫島啓二郎)

Relative Reactivities of Histamine and Indoleamines with Acetaldehyde.....28

Takeshi Ohya (大谷武司) and Masaru Niitsu (新津 勝)

Changes in intracellular concentrations of polyamines during apoptosis of HL-60 cells......29

C. Nakamura, E. Yasumoto, K. Nakano, T. Nakayachi, K. Hashimoto, K. Kusama, M. Fukuda, H. Sakashita, A. Shirahata (白幡 晶), H. Sakagami

Biochemistry/Molecular Biology

Effects of Peroxisome Proliferators Gemfibrozil and Clofibrate on Syntheses of Dolichol and Cholesterol in Rat Liver.....30

Yasuo Shiota (塩田泰生), Masatoshi Ikeda (池田直俊), Fumie Hashimoto (橋本フミ恵) and Hidenori Hayashi (林 秀徳)

Urease inhibitory activity of simple alpha,beta-unsaturated ketones......31

Tanaka T (田中 享), Kawase M (河瀬雅美), Tani S (谷 覺)

Possible correlation between abilities of a variety of polyamines to increase activator protein -1 DNA binding and to inhibit [3H]spermidine transport in nuclear fractions of murine brain......32

Keiji Inoue, Nobuyuki Kuramoto, Katsura Takano, Hideo Taniura, Katsumi Sakata, Kiyokazu Ogita, Akira Shirahata (白幡 晶) and Yukio Yoneda..

X-linked spermine synthase gene (SMS) defect: the first polyamine deficiency syndrome......33

A Lauren Cason, Yoshihiko Ikeguchi (池口文彦), Cindy Skinner, Tim C Wood, Kenton R Holden, Herbert A Lubs, Francisco Martinez, Richard J Simensen,

Roger E Stevenson, Anthony E Pegg and Charles E.Schwartz

Effect of spermine synthase on the sensitivity of cells anti-tumour agents 34

Yoshihiko Ikeguchi (池口文彦), Caroline A. Mackintosh,
Diane E.McCloskey and Anthony E. Pegg

Structural and serological characterization of 5,7-diamino-3,5,7,9-tetradexy- non-2-ulosonic acid isolated from lipopolysaccharides of *Vibrio parahaemolyticus* O2 and O-untypeable strain KX-V212 35

Noritaka Hashii (橋井則貴), Yasunori Isshiki (一色恭徳), Takehiro Iguchi (井口毅裕), Kazuhito Hitsatsune, Seiichi Kondo (近藤誠一)

Structural analysis of the carbohydrate backbone of *Vibrio parahaemolyticus* O2 lipopolysaccharides 36

Noritaka Hashii (橋井則貴), Yasunori Isshiki (一色恭徳), Takehiro Iguchi (井口毅裕), Seiichi Kondo (近藤誠一)

Structural characterization of the carbohydrate backbone of the lipopolysaccharide of *Vibrio parahaemolyticus* O-untypeable strain KX-V212 isolated from a patient 37

Noritaka Hashii (橋井則貴), Yasunori Isshiki (一色恭徳), Takehiro Iguchi (井口毅裕), Seiichi Konod (近藤誠一)

Adaptive and inflammatory immune responses in patients infected with strains of *Vibrio parahaemolyticus* 38

Qadri F., Alam MS., Nishibuchi M., Rahman T., Alam NH., Christi J., Kondo Seiichi (近藤誠一), Sugiyama, J., Bhuiyan, NA., Mathan MM., Sack DA., Nair GB.

Pharmaceutical

A survey on pharmaceutical information in daily newspapers 39

Yukiko Onobori (尾登由起子), Fusao Komada (駒田富佐夫), Yukiya Saitoh (齋藤侑也).

| | |
|---|----|
| Induction of CYP3As in HepG2 Cells by Several Drugs. - Association between Induction of CYP3A4 and Expression of Glucocorticoid Receptor - | 40 |
| T.Usui (白井達洋) , Y.Saitoh (齋藤侑也) , F.Komada (駒田富佐夫) .. | |
| Effect of chondroitin sulfate on the diffusion coefficients of drugs in aqueous solutions | 42 |
| Toshinobu Seki, Maiko Okamoto (岡本麻衣子) , Osamu Hosoya, Daiki Aiba (相場大樹) , Kazuhiro Morimoto, Kazuhiko Juni (從二和彦) | |
| Measurement of diffusion coefficients of parabens and steroids in water and 1-octanol | 44 |
| Toshinobu Seki, Junko Mochida (持田純子) , Maiko Okamoto (岡本麻衣子) , Osamu Hosoya, Kazuhiko Juni (從二和彦) , Kazuhiro Morimoto | |
| Poly-L-arginine predominantly increases the paracellular permeability of hydrophilic macromolecules across rabbit nasal epithelium in vitro | 45 |
| Kazuo Ohtake (大竹一男) , Takuya Maeno (前野拓也) , Hideo Ueda (上田秀雄) , Hideshi Natsume (夏目秀視) , Yasunori Morimoto (森本雍憲) | |
| 学内LANを利用した実習希望施設エントリーシステムの構築とその評価 | 47 |
| 沼尻幸彦、上田秀雄、小林大介、森本雍憲 (城西大薬)、 遠藤敏成、野本 禎 (東日本メディコム) | |
| Area distribution of out-issued prescriptions from Saiseikai Kurihashi Hospital and behavior patterns of outpatients for selection of pharmacy | 48 |
| Akira Katayama, Saori Tsuchida (土田さおり) , Tomohide Kitabata, Masanori Shimamura, Hideo Ueda (上田秀雄) , Sachihiko Numajiri (沼尻幸彦) , Daisuke Kobayashi (小林大介) , Yasunori Morimoto (森本雍憲) | |
| The use of complexation with alkanolamines to facilitate skin permeation of mefenamic acid | 49 |
| Liang Fang (方 亮) , Sachihiko Numajiri (沼尻幸彦) , Daisuke Kobayashi (小林大介) , Yasunori Morimoto (森本雍憲) | |

| | |
|--|----|
| Characterization of Transdermal Solute Transport Induced by Low-Frequency Ultrasound in the Hairless Rat Skin | 50 |
| Mizue Mutoh (武藤香絵), Hideo Ueda (上田秀雄), Yasushi Nakamura (中村恭士), Kotaro Hirayama, Mahito Atobe, Daisuke Kobayashi (小林大介), Yasunori Morimoto (森本雍憲) | |
| The effects of calcium chloride and sodium chloride on the electroporation-mediated skin permeation of fluorescein isothiocyanate (FITC)-dextrans in vitro | 52 |
| Yoshihiro Tokudome (徳留嘉寛), Kenji Sugibayashi (杉林堅次) | |
| The synergic effects of various electrolytes and electroporation on the in vitro skin permeation of calcein | 53 |
| Yoshihiro Tokudome (徳留嘉寛), Kenji Sugibayashi (杉林堅次) | |
| Effect of electric field on the enhanced skin permeation of drugs by electroporation | 54 |
| Kenji Mori, Tesuya Hasegawa (長谷川哲也), Shuji Sato, Kenji Sugibayashi (杉林堅次) | |
| Poly-L-arginine enhances paracellular permeability via serine/threonine phosphorylation of ZO-1 and tyrosine dephosphorylation of occludin in rabbit nasal epithelium | 55 |
| Kazuo Ohtake (大竹一男), Takuya Maeno (前野拓也), Hideo Ueda (上田秀雄), Masakiko Ogihara (荻原政彦), Hideshi Natsume (夏目秀視), Yasunori Morimoto (森本雍憲) | |
| Design and feasibility assessment of topically applied drug formulations for electroporation | 57 |
| Kenji Mori, Seiji Tokumoto, Hiroyuki Kubo, Naruhito Higo, Iwao Nozawa, Shuji Sato, Kenji Sugibayashi (杉林堅次) | |

Clinical Pharmacy

| | |
|---|----|
| Effects of hardness on decoction of Chinese medicine | 58 |
| Seiichi Honma, Akihiro Ogawa (小川哲寛), Daisuke Kobayashi (小林大介), Hideo Ueda (上田秀雄), Liang Fang (方 亮), Sachihiko Numajiri (沼尻幸彦), Masayuki Kimura, Katsutoshi Terasawa, and Yasunori Morimoto (森本雍憲) | |

Comparison of drug prices between extracts and decoctions of Chinese medicine as ethical pharmaceuticals considering dispensing free and contents of index ingredients..... 60

Seiichi Honma, Hajime Hirota (廣田 創), Daisuke Kobayashi (小林大介),
Hideo Ueda (上田秀雄), Sachihiko Numajiri (沼尻幸彦), Fusao Komada (駒田富佐夫),
Yukiya Saito (齋藤侑也), and Yasunori Morimoto (森本雍憲)

処方せん情報の医薬品開発へのフィードバック2 経口徐放性製剤の適正使用について..... 62

金 素安(Soan Kim), 田澤悠子(Yuko Tazawa), 長谷川哲也(Tetsuya Hasegawa),
小林大介(Daisuke Kobayashi), 井上直子, 田利多加子, 木村昌行, 山本俊行,
山口正俊, 杉林堅次(Kenji Sugibayashi)

Liquid chromatographic determination of unbound flecainide in therapeutic drug monitoring..... 64

Katori Kumi (香取久美), Homma M, Kuga K, Yamaguchi I,
Kenji Sugibayashi (杉林堅次), Kohda Y

Pharmacology and Toxicology

Postnatal Changes and effects of glucocorticoid on MUC5AC mRNA expression in the rat stomach..... 65

Tohru Tanaka (田中 享), Satoru Tani (谷 覺)

Induction of Triglyceride Accumulation in the Liver of Rats by Perfluorinated Fatty Acids with Different Carbon Chain Lengths: Comparison with Induction of Peroxisomal β -Oxidation..... 66

Naomi Kudo (工藤なをみ) and Yoichi Kawashima (川嶋洋一) .

Comparison of the Toxicokinetics between perfluorocarboxylic acids with Different Carbon Chain Length..... 67

Kohtaro Ohmori (大森耕太郎), Naomi Kudo (工藤なをみ),
Kazunori Katayama and Yoichi Kawashima (川嶋洋一)

| | |
|--|----|
| Sex Hormone Regulation of Rat Organic Anion Transporter3 (rOAT3) Expression in Rat Kidney | 68 |
|--|----|

Masanori Katakura (片倉賢紀), Naomi Kudo (工藤なをみ), Mari Okazaki (岡崎真理),
Yasuhide Hibino (日比野康英) and Yoichi Kawashima (川嶋洋一)

| | |
|--|----|
| Effects of Dehydroepiandrosterone on Oleic Acid Accumulation in Rat Liver | 69 |
|--|----|

Koichi Imai, Naomi Kudo (工藤なをみ),
Matajirou Koyama and Yoichi Kawashima (川嶋洋一)

Clinical Nutritional

| | |
|---|----|
| Regulation by Carbohydrate and Clofibrilic Acid of Palmitoyl coA chain Elongation in the Liver of Rats | 70 |
|---|----|

Naomi Kudo (工藤なをみ), Tomoaki Toyama (外山智章),
Atsushi Mitsumoto (光本篤史) and Yoichi Kawashima (川嶋洋一)

| | |
|--|----|
| Age-Period-Cohort モデルによる日本人中高年の損失寿命に関する分析 | 71 |
|--|----|

小田切陽一、内田博之

| | |
|---|----|
| A low fish oil inhibits SREBP-1 proteolytic cascade, while a high-fish-oil feeding decreases SREBP-1 mRNA in mice liver: relationship to anti-obesity. | 72 |
|---|----|

Nakatani T, Kim HJ (金 賢珠), Kaburagi Y, Yasuda K, Ezaki O

| | |
|--|----|
| Puerariase radix prevents bone loss in ovariectomized mice. | 73 |
|--|----|

Xinxiang Wang, Jian Wu, Hiroshige Chiba (千葉大成),
Keizo Umegaki, Kazuhiko Yamada and Yoshiko Ishimi

| | |
|--|----|
| Hesperidin, a citrus flavonoid, inhibits bone loss and decreases serum and hepatic lipids in ovariectomized mice. | 74 |
|--|----|

Hiroshige Chiba (千葉大成), Mariko Uehara, Jian Wu,, Xinxiang Wang,
Ritsuko Masuyama, Kazuharu Suzuki, Kazuki Kanazawa and Yoshiko Ishimi

Androgen Deficiency-induced Bone Loss Can Be Prevented by the Combined Intervention of Exercise and Genistein Administration in Mice.76

Jian Wu, Xin Xiang Wang, Hiroshige Chiba (千葉大成),
Mitsuru Higuchi, Misao Takasaki, Atsutane Ohta, and Yoshiko Ishimi

Food and nutrient intakes assessed with dietary records for the validation study of a self-administered food frequency questionnaire in JPHC Study Cohort I.77

Sasaki, S., Takahashi, T., Iitoi, Y., Iwase (岩瀬靖彦), Y., Kobayashi, M., Ishihara, J.,
Akabane, M., Tsugane, S.

学長所管

平成14年度学長所管研究奨励金交付に伴う研究

研究課題 胃潰瘍原因菌：*Helicobacter pylori* のラットへの感染に関する基礎的検討、
並びに抗菌物質の探索」78

薬学部薬理学教室：谷 覺 (Satoru Tani)
白瀧研究室：白瀧 義明 (Yoshiaki Shirataki)
臨床薬物化学教室：河瀬 雅美 (Masami Kawase)

研究課題 食品成分中のポリアミンによる腸管吸収の修飾81
細胞生理化学講座 杉田 義昭 (Yoshiaki Sugita)

研究題目 イオントフォレシスによる抗白内障薬ジスルフィラムの眼組織送達に関する研究
.....84
病院薬剤学講座 上田 秀雄 (Hideo Ueda)

口頭発表及びシンポジウム91

著書・総説・Proceedings110

学位論文要旨113

腸炎ビブリオ O 抗原リポ多糖 (LPS) の化学的および血清学的性状に関する研究113
橋井 則貴

| | |
|--|-----|
| キトサンの経皮吸収型製剤のためのゲル基剤への応用に関する研究..... | 116 |
| 佐野 元彦 | |
| 親水性化合物の経皮吸収促進のための超音波の利用に関する研究..... | 118 |
| 武藤 香絵 | |
| エレクトロポレーションによる薬物の経皮吸収促進に関する研究..... | 121 |
| 森 健二 | |
| 大学院薬学研究科修士論文要旨 | 123 |
| 薬学・医療薬学専攻 | |
| Picoline-Borane を用いる Aldehyde 及び Ketone 類の One-Pot Reductive Amination | 123 |
| 佐藤晋也 | |
| <i>N</i> -Acylaminophthalimide 類の高原子価ヨウ素化合物による分子内閉環反応..... | 123 |
| 椎屋 恵 | |
| 分子内に二重結合をもつ <i>N</i> -Acylaminophthalimide 類と高原子価ヨウ素化合物との反応 | 124 |
| 塚本政都 | |
| パラグアイ産 <i>Melia sempervirens</i> (センダン科) の成分研究..... | 124 |
| 朴 建華 | |
| 漢方薬の煎出に及ぼす水硬度の影響..... | 125 |
| 小川 哲寛 | |
| 沖縄県における高脂症用剤の処方箋および黄紋筋融解症を引起す可能性のある薬剤の処方箋の 発行実態調査 | 125 |
| 翁長 真一郎 | |
| HbA1c チャートを利用した糖尿病患者に対する服薬指導..... | 126 |
| 金谷 直紀 | |
| 医薬品情報の代価に関するアンケート調査..... | 127 |
| 金子 紗弓 | |
| エラスポール伊®を用いた全身性炎症反応症候群に伴う急性肺炎障害治療に関する調査..... | 128 |
| 吉川 真 | |
| IS-MS によるポリアミン分析法の癌研究への応用 | 128 |
| 小林正樹 | |
| 不死化ヒト胎盤絨毛細胞におけるペルオキシソーム酵素活性とホルモン分泌に対する WY-14643 の影響..... | 129 |
| 森田美江子 | |
| 鶏胚の発育過程におけるドリコールおよびコレステロール含量の変化 | 130 |

| | |
|---|-----|
| 堀江竹虎 | |
| 薬局製造医薬品に関する医薬品情報 | 131 |
| 細川 玄機 | |
| 呼吸器・心臓疾患における β_2 アドレナリン受容体遺伝子多型の関連性 | 131 |
| 相澤 夕紀 | |
| 遺伝子治療における遺伝子発現制御 — 活性酸素刺激による転写因子発現量と発現タンパク量との関係— | 132 |
| 新井 昌代 | |
| Whey protein およびその成分の薬物消化管吸収に与える影響の評価 | 133 |
| 加藤奈穂子 | |
| ヒト乳腺細胞の能動輸送に関する研究 | 134 |
| 木村聡一郎 | |
| 貼付剤の放出試験法の検討 | 134 |
| 島村剛史 | |
| 皮膚外用剤試験における TEWL 測定の有用性と問題点 | 135 |
| 佃 慶一 | |
| 院外処方せん発行に関する諸問題 | 136 |
| 土田さおり | |
| 超音波による薬物の経皮送達促進に関する予備的検討—超音波照射条件の検討とモデル角質層脂質に対する超音波の影響— | 137 |
| 中村恭士 | |
| 医薬品の皮膚障害性副作用と Transglutaminase 活性との関連性 | 137 |
| 根本英一 | |
| 花粉飛散数とアレルギー性鼻炎新規患者数の動向について | 138 |
| 佐村 優 | |
| 間接熱量測定による肺癌治療評価の検討 | 139 |
| 清水祥正 | |
| 帯状疱疹後神経痛に対するリドカインの効果に関する検討 | 140 |
| 青木理佳 | |
| 水溶性高分子化合物の結膜透過および生理機能に対するイオントフォレシスの影響 | 140 |
| 金田洋昌 | |
| 人工汗を用いた放出試験による先発パップ剤と後発パップ剤の比較 | 141 |
| 平船寛彦 | |
| ゲフィチニブの治療効果と副作用に関する検討 | 142 |

| | |
|---|------------|
| 茂木拓也 | |
| 薬物の乳汁移行性の速度論的解析..... | 143 |
| 内山玲子 | |
| エレクトロポレーション/イオントフォレシス併用系における薬物の皮膚透過促進作用に 関する研究..... | 143 |
| 五十嵐 崇 | |
| 水溶性薬物の白色ワセリン基剤軟膏からの放出性および皮膚移行性に関する研究..... | 144 |
| 石井 宏 | |
| 水溶性薬物の疎水性粘着剤への封入性改善と放出・皮膚透過挙動の研究..... | 145 |
| 小林 さつき | |
| 薬物局所適用後の皮内・皮下動態に関する研究 | |
| ・線維芽細胞成長因子で形成させた肉芽への薬物分布と滞留性 | 146 |
| 築地 泰臣 | |
| 眼瞼皮膚から結膜への薬物移行に関する研究 | 146 |
| 中川暁彦 | |
| ビタミン入りガム型サプリメントの吸収性に関する動態学的研究..... | 147 |
| 寺田 元美 | |
| 機能水の外用剤基剤としての有用性に関する研究 | 148 |
| 代永 恵 | |
| フッ素化脂肪酸の体内分布に関する研究..... | 149 |
| 山田 優樹 | |
| ラット胃粘膜培養細胞を用いた種々薬物の障害作用、及びラットにおける胃粘膜損傷とアポトーシ スの関連の研究 | 149 |
| 松田 一希 | |
| ポリ-L-アルギニンによる水溶性高分子物質の経鼻吸収に対する促進効果の解析に関する研究 | 150 |
| 前野 拓也 | |
| 著者索引..... | 151 |